Diagnostic Checklist for Pathogenic Parenting: Extended Version

C.A. Childress, Psy.D. (2015/2017)

All three of the diagnostic indicators must be present (either 2a OR 2b) for a clinical diagnosis of attachment-based "parental alienation." Sub-threshold clinical presentations can be further evaluated using a "Response to Intervention" trial.


1. Attachment System Suppression

<u>1. Attat</u>	mmen	<u>t System S</u>							
Present	Sub- Thresh	Ancont	The child's symptoms evidence a selective and targeted suppression of the normal-range functioning of the child's attachment bonding motivations toward one parent, the targeted-rejected parent, in which						
			the child seeks to entirely terminate a relationship with this parent (i.e., a child-initiated cutoff in the child's relationship with a normal- range and affectionally available parent).						
Seco	ondary	Criterion: No	rmal-Range Parenting:						
yes	no	The parenting practices of the targeted-rejected parent are assessed to be broadl							
		normal-range, with due consideration given to the wide spectrum of acceptable parenting that is typically displayed in normal-range families.							
		Normal-range parenting includes the legitimate exercise of parental prerogatives in establishing desired family values through parental expectations for desired child behavior and normal-range discipline practices.							
<u>2(a). Personality Disorder Traits</u>									
Present	Sub- Thresh	Ahcont							
			The child's symptoms evidence all five of the following narcissistic/(borderline) personality disorder features displayed toward the targeted-rejected parent.						
	iterion M	let							
yes	no	inappropriate rejected parer	The child displays a grandiose perception of occupying an ly elevated status in the family hierarchy that is above the targeted- nt from which the child feels empowered to sit in judgment of the sted parent as both a parent and as a person.						
		Absence of Empathy: The child displays a complete absence of empathy for the emotional pain being inflicted on the targeted-rejected parent by the child's hostility and rejection of this parent.							
		Entitlement: The child displays an over-empowered sense of entitlement in which the child expects that his or her desires will be met by the targeted-rejected parent to the child's satisfaction, and if the rejected parent fails to meet the child's entitled expectations to the child's satisfaction then the child feels entitled to enact a retaliatory punishment on the rejected parent for the child's judgment of parental failures							
		Haughty and Arrogant Attitude: The child displays an attitude of haughty arrogance and contemptuous disdain for the targeted-rejected parent.							
		Splitting: The child evidences polarized extremes of attitude toward the parents, in which the supposedly "favored" parent is idealized as the all-good and nurturing parent while the rejected parent is entirely devalued as the all-bad and entirely inadequate parent.							

2(b). Phobic Anxiety Toward a Parent

	Absent				
		The child's symptoms evidence an extreme and excessive anxiety toward the targeted-rejected parent that meets the following DSM-5 diagnostic criteria for a specific phobia:			
rion Met no					
	Persistent Unwarranted Fear : The child displays a persistent and unwarranted fear of the targeted-rejected parent that is cued either by the presence of the targeted parent or in anticipation of being in the presence of the targeted parent				
	Severe Anxiety Response: The presence of the targeted-rejected parent almost invariably provokes an anxiety response which can reach the levels of a situationally provoked panic attack.				
		Parent: The child seeks to avoid exposure to the targeted parent due to lly provoked anxiety or else endures the presence of the targeted parent tress.			
	Thresh	Threshold Persistent Ur no Persistent Ur of the targeted parent or in an Severe Anxie invariably pro provoked pan			

3. Fixed False Belief



The child's symptoms display an intransigently held, fixed and false belief maintained despite contrary evidence (a delusion) regarding the child's supposed "victimization" by the normal-range parenting of the targeted-rejected parent (an encapsulated persecutory delusion). The child's beliefs carry the implication that the normal-range parenting of the targeted-rejected parent are somehow "abusive" toward the child. The parenting practices of the targeted-rejected parent are assessed to be broadly normal-range.

DSM-5 Diagnosis

If the three diagnostic indicators of attachment-based "parental alienation" are present in the child's symptom display (either 2a or 2b), the appropriate DSM-5 diagnosis is:

DSM-5 Diagnosis

309.4 Adjustment Disorder with mixed disturbance of emotions and conduct

V61.20 Parent-Child Relational Problem

V61.29 Child Affected by Parental Relationship Distress

V995.51 Child Psychological Abuse, Confirmed (pathogenic parenting)

evident	not evident					
		ACS 1: Use of the Word "Forced"				
		ACS 2: Enhancing Child Empowerment to Reject the Other Parent				
		evident	not evident			
				"Child should decide on visitation"		
				"Listen to the child"		
				Advocating for child testimony		
		ACS 3: The Exclusion Demand				
		ACS 4: Parental Replacement				
		ACS 5: The Unforgivable Event				
		ACS 6: Liar – "Fake"				
		ACS 7: Themes for Rejection				
		evident	not evident			
				Too Controlling		
				Anger management		
				Targeted parent doesn't take responsibility/apologize		
				New romantic relationship neglects the child		
				Prior neglect of the child by the parent		
				Vague personhood of the targeted parent		
				Non-forgivable grudge		
				Not feeding the child		
		ACS 8: Unwarranted Use of the Word "Abuse"				
		ACS 9: Excessive Texting, Phone Calls, and Emails				
		ACS 10: Role-Reversal Use of the Child ("It's not me, it's the child who")				
		ACS 11: Targeted Parent "Deserves" to be Rejected				
		ACS 12: Allied Parent Disregards Court Orders and Court Authority				
		evident	not evident			
				Child disregard of court orders for custody		
				Child runaway behavior from the targeted parent		

Checklist of Associated Clinical Signs (ACS)